

## CLAIMS

## WHAT IS CLAIMED IS:

1. A method for listening to an on-line radio station through a webphone, comprising the following steps:
  - 5 (a) a CPU continuing detecting a webphone system whether there is an incoming phone call or a dialing-out phone call; if yes, allowing said system to close a broadcasting mode of an on-line radio station and to activate a general  
10 dialing/receiving mode of a webphone, and entering next step; if no, entering Step (c);
  - (b) said CPU allowing a line connection to be established among said system and two telephone communication parties; and, detecting whether  
15 the line connection between the two parties is terminated; if no, continues detecting; if yes, enter next step;
  - (c) said CPU allowing said system to activate said broadcasting mode of said on-line radio station;
  - 20 (d) said CPU allowing said system to execute said broadcasting mode of said on-line radio station; and
  - (e) said CPU continuing detecting the webphone system whether there is a message for an incoming phone  
25 call or a dialing-out telephone.; if yes, causing said system to close said on-line radio station broadcasting mode and to activate said general webphone dialing/receiving mode of said webphone, and then returning to Step (b); if no, returning  
30 to Step (d).

2. The method for listening to an on-line radio station through a webphone according to claim 1, wherein a method for executing said broadcasting mode of said on-line radio station comprises the following steps:

5       (1)     said CPU allows said webphone system to connect  
          said website providing radio station message  
          through Internet, said CPU confirms whether said  
          system stores preset radio channels; if yes, enter  
          Step (5); if no, enter next step;

10       (2)     said CPU causes a liquid crystal display to  
          display a radio stations list provided by said  
          website ;

          (3)     if said CPU receives message from a preset radio  
                  station, it then allows said radio channel to be  
15       stored, and enter Step (5); if said CPU does not  
          receive message from a preset radio station, enter  
          next step;

          (4)     said CPU allows said liquid crystal display to  
          display images of not-yet-set radio;

20       (5)     said CPU causes said system to connect in sequence  
          with preset radio stations, if said connection  
          is successful, enter next step; if said connection  
          is failed, causes said system to stop said  
          connection, and enter Step (2); and

25       (6)     said CPU caused the speakers to broadcast a real  
          time speech sounds program transmitted from said  
          radio station.

3. The method for listening to an on-line radio station through a webphone according to claim 2, wherein said  
30       step (2) further comprises that said CPU causes speakers

to emit pre-stored warning speech sounds.

4. The method for listening to an on-line radio station through a webphone according to claim 2, wherein said step (4) further comprises that said CPU detects whether there is message for closing said broadcasting mode of said on-line radio station; if yes, causes said liquid crystal display to close a picture showing the message for said not-yet-set radio stations, and closes said broadcasting mode of said on-line radio station; if no, causes said liquid crystal display to continue displaying said picture until the end of a preset time, and then closes said picture and causes said system to close said broadcasting mode of said on-line radio station